

No 24

An

Inaugural Essay.

On The
Therapeutical effects of Purgatives.

By

John B Gaston.

Of

South Carolina.

Paper March 10th 1823

In all
should
situa
in the
cause
of some
articles,
would
be best
any th
but th
have a
days a
prop
the re
in wa
Spain
be a

Therapeutical effects of Purgatives

In all descriptions of purgative medicines, we are informed, that they were among the first articles of the *Natura Medica*, brought into general use. And from the simplicity of their operation, which is, to increase the powers of an office of nature daily performed, we may readily conclude, some of the articles of this class, would be early discovered. Accordingly, we are told that in every age they have been truly used, and are found, as remedies, among the rudest and most uncultivated savages. But though thus early and generally resorted to, we have reason to believe, that their utility has not always been clearly understood, or their administration properly directed.

In the reveries of former superstition, their administration was at one time recommended, at the junction n opposition of certain planets, certain seasons of the year, or ages of the moon, & at a period nearer to an

on time
a & sept
fan fever
dysentery
urined
fistulae
They
many of
medicine
diseases he
infection
Although
diseases
use of m
of their
active n
able sha
at pla
physic
using a

own time, the aid of purgative medicines, was called in to expel certain noxious matters, supposed to have been previously separated from the mass of blood, by appropriate fermentation; A specific action was also ascribed to different purgatives, suited to the removal of particular noxious fluids.

The gradual improvement of science, has corrected many of the erroneous notions respecting the power of medicines, which from the occult nature of their operations, have afforded a wide field for the range of superstition, and the loose conjectures of imagination.

Although the present state of the science, does not admit claims to perfection, discrimination in the effects of medicines, seems more generally to characterise their administration. Among other claps purgative medicines seem recently to have had a considerable share in the general improvement. The important place which they now occupy in the practice of physick, makes it highly necessary, that every one entering on that profession, should study with care

of nature
writing
it is no
there
perturbat
infirms
the reason
will I
then, re
ord illu
ments an
stic-ct,
only g
hypothec
at perso
reliances
old his
creature
Dr. Curr
raphage

the nature of their operations, and their powers in removing diseases.

It is not my intention to enter into a minute history of their progress, or to enumerate the persons, who have contributed to their improvement; But it would be supposing an acknowledgment, which I believe every one acquainted with the author would freely render were I to pass over the work of the celebrated D. Hamilton, as contributing in a high degree, to establish and illustrate, some of the most important improvements recently made in the application of purgatives. Perhaps no individual within the last twenty years, has rendered more useful services to the profession, than this distinguished man, by his diligence and perseverance, in ascertaining the good effects of these medicines in the cure of diseases, and publishing to the world his knowledge, acquired with so much correct observation.

Dr. Cullen seems to have understood pretty fully the antiphlogistic power of purgatives, but from a too cau-

has been
mostly
discreet
full disc
tion is a
but of
mostly
single
at the
propos
giving
and refu
from the
evidence
see also

R. Lee
rough
relation
48 have

ous dread of their debilitating effects, he has not availed himself so fully of their advantages in the treatment of diseases. That evacuations by purgatives given in full doses, will debilitate the body is evident, because there is a great depletion of the fluids, and perhaps part of the chyle, and when a vascular action is greatly increased such depletion is useful. But the principle on which Dr. Hamilton recommends purgatives, is not that of reducing and debilitating, but of relieving spasm and lessening irritation. This he accomplishes by giving purgatives, which are stimulating, in small and repeated doses, so as to excite an entire discharge from the intestinal canal, without awakening the excitement of the exhalent so exclusively, as to produce any considerable evacuation of the fluids.

In the classification of purgative medicines, ~~at~~ though there is considerable variety, yet there is some fiction, to pointing out particular articles, as always having certain actions. For by a change in

... quan
ince co
is may
hasnt
they ha
I had
note,
would
be fine
mainly
they no
in cur
I fram
of each
thus
spect
Em. sea
patient
medic
mally

the quantity of the same article, there will be a difference in the operation. And a change not less obvious may be produced from idiosyncracy, or from different states of the system in the same patient.

They have been divided by pharmaceutical authors into Laxatives, Purgatives, and Drastics, names intended to denote the gentleness, or violence of their operation. It would be unnecessary to enumerate here the articles generally applied to each class. A familiar acquaintance with the properties of each, seems pretty necessary to a skilful administration of them in practice, but this is more correctly learned from a particular acquaintance with the powers of each article, than from the classifications of authors. Manna and Samarinds are known by every practitioner to be gentle and mild in their operation, scarcely exciting any unusual sensation in the patient. The Neutral Salts, though occasioning a quicker operation, and much more watery stools generally operate with very little disturbance to the

is
readily
at the
articles
in, exactly
and are con-
you have
intant
had away
but I have
in. The G.
ally divorce
a caused
with sanctio
They are s
with and
the mode
can succeed
be sufficient
of the pu

patient. They sometimes excite thirst, which may be readily gratified, as warm diluting liquors assist the operation. Purgatives, from which clops the articles used by Dr. Hamilton are chiefly selected, excite a good deal more action on the intestines and are consequently better adapted to remove the more hardened feces. Some of them have the most important rank of all the articles in medicine. As I shall again have occasion to notice the effects of these, I shall not at present enlarge on their properties. The Drastics act with the greatest violence, generally disordering the stomach and the whole system in a considerable degree, and unless administered with caution, sometimes inflame the intestines.

They are such as the Gamboge, Tartarium, Colocynth, and Hellebore. These and some of the more active medicines of the former class, are said to have been much used by the ancients. They are believed to be efficient in discharging water from the cavity of the peritoneum, the chest, and cellular sub-

1800.

The im-

ent, arid

concluded

the kinds,

See other

my vegetable

Purgative

alpista

in our to

they pro

viding a

perhaps

be exhal

ing in the

season, a

a pretty

feels when

of the se

to retain

stance.

The immediate action of purgatives on the intestines, arises from their stimulating properties, and is concerned in producing their discharge, is of two kinds, one increasing their peristaltic motion. The other stimulating the extremitis of their excretory vessels.

Purgatives evidently act by augmenting the natural peristaltic motion, from their stimulant operation on the muscular fibres of the intestines, when they propel with greater force any substance impeding their passage. The greater number also, if perhaps all of them in some degree, stimulate the excretory vessels, and glandular follicles, opening on the internal surface of the intestines, and occasion more copious evacuations of fluids. This is pretty clearly supported, from the very watery stools which some of the articles produce, especially the saline purgatives. Besides these immediate actions, the stimulant operation of purgatives

has to
ing until
is accumu
that init
iges now
on the p
amity o
ters of th
a perhaps
moving a
terminates

on of purg
place in co
halten. or
qualitative
natty admu
of one set
you will s
had alrea
Caking

appears to be more or less extended along the ducts leading into the intestines, and thus reduces morbid accumulations in the neighboring organs.

That irritation is conveyed along the surface of mucous membranes in this way, we have evidence from the peculiar sensation sometimes felt at the extremity of the glans penis from a stone in the pelvis of the kidney. And on the same principle perhaps depends the efficacy of clysters in removing constipation. Another change in the determination of the fluids, occasioned by the action of purgatives, is called reversion. It takes place in consequence of the depletion from the splanchnic vessels of the intestines "It is a law of the circulation" says one of our best books, "sufficiently admitted, that if depletion be made from any one set of vessels, the current of the circulation will be directed to them and of course the blood diminished in other parts."

Taking into view the operations and effects

of pungent
readily
well in a

thin layer
of being
less, will

The w
of whatever
only their
which are
members, a

other m
virus a
ected man
stances imp
enhanced

early form
first and
by which
useful in

of purgatives we have now shewn, we shall
readily perceive they have a commanding influ-
ence in all states of the living body; and that
their power in curing diseases must be extensive.
A brief account of their applications for this pur-
pose, will compose the rest of our essay.

The treatment of a great majority of diseases,
of whatever description, seems now to be very pro-
perly premised, by the administration of a purge.
Which unloads the intestines, stimulates the ab-
sorments, and prepares the system for the operation
of other medicines. The intestines are subject to
various accumulations of hardened feces, undi-
gested matter, or insipidated mucus. These sub-
stances impede not only the passage of the fresh
nourishment, but prevent the absorption of the
newly formed chyle, and occasion general lan-
guor and debility. Purgatives discharge them,
by which operation these medicines are rendered
useful in a variety of complaints.

In fact
a very im-
portant, and
have been
use before
one, an
augmentation
of artifices
Hamilton
the treat-
mentations
they were
used by
would in
readily see
tongue, for
alone dis-
tress, do
the propri-
etary

In febrile diseases, purgative medicines make a very important part of the treatment. In intermit-
tents, and continued inflammatory fevers they have long been beneficially applied. By their
use bile is evacuated with the greatest conve-
nience, and next to aenescetion, the operation of
purgation most speedily diminishes the force
of arterial action. Since the publication of Dr
Hamilton's work, they also enter largely into
the treatment of typhus fever. Previous to his ob-
servations on the utility of purgatives in typhus
they were prohibited in a fever so much charac-
terised by low action, on the grounds that they
would increase the weakness of the patient al-
ready sinking under debility. The iron-stained
tongue, foul state of the mouth, and dark fetid
alvine discharges, uniformly accompanying this
fever, do certainly indicate in no small degree
the propriety of addressing medicines to the ali-
imentary canal. The experiments of Dr Hamilton

has hap-
pened
would a
s with a
to sympath
is strong
This were
se of pen-
sority, a
battle p
ughly pe-
servation
Smash, a
red militi
refuses a
notable in
invented.
Promote
have man
Wings

have happily proved, that purgative medicines administered in small and repeated doses, will remove and completely evacuate the fætid matter without producing debility. On the contrary, the symptoms of dyspepsia are removed and the strength of the patient is daily increased.

This writer, who at first experimented on the use of purgatives in typhus with considerable anxiety, after directing a strict attention to the practice for a long time says, "I am now thoroughly persuaded, that the full and regular evacuation of the bowels, relieves the oppression of stomach, clears the loaded and parched tongue, and mitigates the thirst resulting from heat of the surface, and that thus the latter and main formidable impression on the nervous system, is prevented, recovery more certainly and speedily promoted, and the danger of relapsing into the fever much diminished."

Witnessing the benefits arising from purgatives

medicine
big effe
with simi
this dis
but have
counter
bad eyes
periods of
Plasma
less appa
is practi
slight resp
at auxia
hours in
and chronic
delayed j
him, and
bubbletly
In treatin
was have

medicines in typhus, Dr Hamilton was induced to try their efficacy in scarlatina, and as he informs us with similar success. Some of the violent symptoms of this disease, as pungent heat of the surface, violent head ache, turpitude of features, and flushing of countenance, he observes, he has seen quickly subdued by one or two brisk purgations. In the subsequent periods of the disease, full purging is not required. Dr Hamilton confides much in the use of purgatives applied to the disease as it appeared in his practice, and concurring with him we have highly respectable authority, that they are a useful auxiliary in the treatment of the disease as it occurs in this country. In other cutaneous diseases and chronic eruptions, purgative medicines have been employed from the remotest times. In many of them, and especially in children, they have undoubtedly proved efficacious.

In treatment of the phlegmasia, purgation most joinies have been prescribed with success, pur-

light. Then
oses of the
ious, from
acute is
ue to be us
they are ha
lumatis
much do
a such a
mes for us
• & then
ins, that
ing medicine
us. By so
ught very
ated as we
d from the
tion of Sys
the use of p
be well say,

haps, than in any other class of diseases; In many cases of this order they have the highest commendations, from the medical chair of this school.

In acute rheumatism, after amputation, purgatives used to be used freely, and prove very serviceable, They are however still more beneficial in chronic rheumatism, in which the general strength is often or much reduced as to forbid the loss of blood, under such circumstances, active purging is sometimes found to be of very signal advantage.

Notwithstanding it is the opinion of Dr Sydenham, that to endeavor to cure the gout by evacuating medicines, is an attempt fruitless and pernicious. By the authority just mentioned we are taught very differently. Nor is the treatment represented as new or original, but that which prevail'd from the time of Hippocrates till the publication of Sydenham's theories on the subject.

The use of purgative medicines in gout is believed to be well supported, both by theory and practice,

The inter-
view with
which are
you, Stra-
tors in
just in
of a parox-
temous a
and by a
fluence in
minced
and Rypa
pletely wa-
lour, or w-

From a
ite of pre-
shing int
understand
lines for ca
and for all

The intimate connexion which gout is observed to have with certain states of the alimentary canal, which are uniformly treated by evacuating that organ, strongly indicate the application of purgatives in gout. Another circumstance, which further illustrates the practice, is, that the violence of a paroxysm of gout is often suspended by a spontaneous diarrhoea. In addition to this, we are assured by Dr Chapman that from many years experience in the use of purgatives in gout, he is fully convinced of the propriety of the practice. Calomel and Aphyllant are directed till the bowels are completely evacuated, and afterwards the Aphyllant alone, or in combination with Magnesia.

From what has been said of the stimulating action of purgatives, upon the ducts of neighboring organs opening into the intestinal canal, it will be readily understood that purgatives are very appropriate medicines for congestions and obstructions of the liver, and for arresting the hasty progress, which inflam-

ation mean
size of the
its peculiar
elegy exper-
ient its pro-
baud of a
indispur-
ates four
The best
ben hyper-
& Calomel
of this a
patice, it
in increasing
Purgative
tions of other
more partic-
ularly of
The inad-
medicines aff

ation makes in that organ. "From the enormous size of the liver, the vast flow of blood to it, and its peculiar structure, inflammation here is exceedingly rapid in its course, and often requires to arrest its progress, a concurrence of all our powers, in aid of venesection, which, in its fullest extent is indispusible. The administration of fresh cathartics forms a principal part of the treatment." The best writers on diseases of tropical climates, where hepatic affections are most prevalent, ascribe to Calomel peculiar efficacy in treatment of diseases of this organ. Besides acting as a common purgative, it is believed to be peculiarly serviceable in increasing and carrying off bilious secretions. Purgative medicines are also useful in inflammations of other viscera of the abdomen. And are now particularly recommended in peritonitis and purpuræ fever.

The indispusible remedies, which, purgative medicines afford in diseases of the alimentary canal

self would
the higher
instincts
small s
et to their
up from
by example
with the c
hadacor
be exalte
fully emp
In a due
is all gen
tive treatm
by much
They are a
dian hanc
She excelle
the head are
all apista

itself, would alone give them an importance worthy
of the highest respect. The train of evils attending the
constipated state of the bowels, is productive of
no small share of the misery of those persons sub-
ject to this irregularity. And is a source of dis-
tress from which scarcely any individual is en-
tirely exempted. "A constipated habit is incompatible
with the enjoyment of health, and is marked
by headache, vertigo, nausea, fetid breath, offen-
sive excretions, with numberless symptoms of a
highly unpleasant and disgusting nature."

In a directly opposite state of the bowels, purga-
tives are generally the first means prescribed. The
active treatment of dysentery and cholera consists
very much in the administration of purgatives.
They are also found useful in the early treatment
of diarrhoea.

The excellent effects of purgatives in diseases of
the head are well known to practitioners. A mechan-
ical assistance, by which pressure is removed from

The circulation
is justly
the operation
and partition
is made a
determined
number so
that genera
lly
they are
more numerous
in treatment
be used as
intensive
causing the
when this so
are the disease
matase tends
increased by a
constant

The circulation in the blood vessels below, is, perhaps
very justly, considered as an mode of their favora-
ble operation here. "When the intestines are loaded,
and particularly the small intestines, some pressure
is made on the descending aorta, and the blood
is diverted in larger portions to the ascending
branches, occasioning pain in the head, languor,
and general uneasiness. These symptoms pungation
evidently relieve." In the management of apo-
plexy, they are inferior to emetick anodynes. From
time immemorial, they have had a chief place in
the treatment of mania. In ophthalmia, they are
to be used repeatedly. Their efficacy in hydrocephalus
internus is represented in the following com-
mending terms by Dr Chapman. "In many instances
when this state of the brain was suspected, I have
seen the disordered stomach, the dilated pupil, the
catarrhal tendency, and other alarming symptoms,
removed by very copious evacuations from the bow-
els. Constant purging will, indeed, be found more

spectra
In de
vous dis
freedom
at the e
many ot
privileges
in their
Association
affection
to any p
Family
own face
the tonie
he practic
making m
state of th
met. the
In his st
times are

effectually to control the disease, than even venesection.

In different affections belonging to the class of nervous diseases, purgative medicines are now very highly recommended. In chorea they seem to have obtained the confidence not only of Dr Hamilton, but of many other modern practitioners of Europe. The experience of Dr Chapman speaks also very decidedly in their favor. So far as its rare occurrence permits observation, he says, "there is scarcely any chronic affection of long standing, that yields more readily to any plan of treatment, than chorea to purgatives." Hamilton observes that his practice shared the common fate of disappointment, while he employed the tonic and stimulating medicines, but forming his practice on different views of the disease, and making the first object a removal of the constipated state of the bowels. The success of his practice confirmed the propriety of the treatment.

In hysteria, epilepsy, and tetanus, purgative medicines are also recommended with much confidence.

by the 2
In our
giving
a party
occasions
they are
White
a long
circular
benches
In our
more usual
than in
festival
that he
and friends
in the 1st
it to day
he caused
of passage

by the authorities last named.

In cachetic complaints purgative medicines are beginning to be resorted to much more extensively. They are particularly recommended by Dr Hamilton in chlorosis and marasmus. In oculous affections they are also applied with the greatest advantage. White swelling is often very sensibly relieved by a long continued course of purging. We will conclude by noticing what is said of their benefit in dropsical swellings.

In no disease, perhaps, is the use of purgatives more uniformly sanctioned by respectable authors than in dropsy. In the treatment of a very important case stated by Sydenham, we discover that he used them with considerable latitude and frequency. He, however, with most writers on the subject, agrees, that purgations are not suited to dropsies connected with a very feeble state of the constitution. Dr Cullen considers the operation of purgations more certain than diuretics, for

leaving
more safe
means than
means we
mean of s
be operate
accounts &
has been
except ev
use to the
the mast
their stim
& other pa
of the mil
fully emp
y steel ar
beam of 8
three man
articles of
waterproof

drawing off the water, and their administration more safe and convenient than emetics. He recommends them in the following terms. "There are no means we can employ to procure a copious evacuation of serous fluids with greater certainty, than the operation of purgatives, and it is upon these accounts, that purging is the evacuation which has been most frequently, and perhaps with most success employed in dropsy." He gives preference to the more drastic purgatives, says they are the most effectual for exciting absorption, as their stimulus is most readily communicated to other parts of the system. Of late, however, some of the milder purgatives have been very successfully employed, and produce discharges both by stool and urine. A common lotion of Salap and Cream of Tartar, will be found generally to produce more copious evacuations than any other articles of this kind we possess. The more freely watery figures are exhibited during the admini-

ishation
will be
In no
medicis
presum
of our
fulfillo
tracted
for the
above c

isation of this combination, the more copious
will be the urinary discharge.

In noticing the application of purgative
medicines our observations have been brief,
presuming, however, that it is not the wish
of our instructors that our remarks in the
fulfilment of this duty should be pro-
tracted; with unfeigned acknowledgments
for their assistance, most respectfully, the
above is submitted to their consideration,

A